



ELASTIC POWER





NO	PARTS NAME	PCS	NO	PARTS NAME	PCS
1	TIRE	8	24	90 DEGREE CONVERTER - L	8
2	AXLE CONNECTOR	6	25	90 DEGREE CONVERTER - R	8
3	SMALL SPROCKET	1	26	HINGE	1
4	PADDLE WHEEL	1	27	CRANK WITH FLANGE	1
5	PADDLE WHEEL AXLE	1	28	CRANK WITHOUT FLANGE	1
6	SHORT FRAME	2	29	1-HOLE ROD	1
7	ROD	6	30	END ROD	1
8	SMALL GEAR	5	31	BLOCK WITH PEG	2
9	LARGE GEAR	2	32	LARGE PULLEY	2
10	BAR	1	33	MEDIUM PULLEY	2
11	SHAFT PIN	2	34	SMALL PULLEY	2
12	LONG AXLE	2	35	MEDIUM AXLE	3
13	LONG ROD	2	36	LONG FRAME	2
14	EXTRA LONG AXLE	1	37	DIE-CUT PLASTIC	1
15	3-HOLE ROD	6	38	LARGE BELT	2
16	5-HOLE ROD	4	39	ELASTIC CORD	1
17	3-HOLE DUAL ROD	6	40	RUBBER BAND	1
18	SMALL AXLE	2	41	WASHER	1
19	PART SEPARATOR TOOL	1	42	O RING LARGE	2
20	ANCHOR PIN	28	43	STRING	1
21	BUTTON PIN	27	44	7 CM LARGE AXLE	1
22	TWO-TO-ONE CONVERTER	3	45	AXLE LOCK	2
23	CURVED ROD	6	46	DIE-CUT CARDBOARD	1
TOTAL					170





ELASTIC POWER | Warnings, and Tips and Tricks for Model Building




Fig. a




Fig. b




Fig. c




Fig. d




Fig. e




Fig. f





Fig. g



1. Both anchor pins and joint pins can be used to join rods and frames. (Fig. a)
But only a joint pin can allow a rod to rotate on a frame as shown. (Fig. b)
2. Use a long axle to push the joint pin out of the rod. (Fig. c)
3. Frames can be connected directly to each other end to end. (Fig. d)
4. Use the end "A" of the part separator tool to pry off an anchor pin. (Fig. e)
5. Use the end "B" of the part separator tool to pry off a button pin. (Fig. f)
6. When attaching a gear or a wheel onto a frame with an axle, be sure to leave a gap of about 1 mm between the gear or the wheel and the frame. This will decrease the friction caused during operation so that the model will run more smoothly. (Fig. g)

⚠ WARNING TO PARENTS

This toy is not suitable for children under 3 years of age. It contains small parts that a child could swallow. This toy must be kept out of the reach of very young children.



ELASTIC POWER | Model 9 Helicopter



Helicopter

Parts Needed: 84 pcs

2 x2	3 x1	6 x1	7 x6
8 x4	9 x1	11 x1	12 x1
15 x4	16 x4	17 x4	18 x2
20 x23	21 x9	23 x6	25 x8
35 x1	36 x1	37 x1	46 x1
	40 x1		

How to Use





Fig. 26

Assembly



Completed